



 TOWN OF DILLON Grading & Excavation Permit		Date Issued: May 21, 2026		Permit No. 2026.055.G1	
APPLICANT Name & Business: Joe Quarantillo A-Peak Asphalt, Inc.		PROJECT ADDRESS: 301 W. LaBonte St			
APPLICANT Phone Number: 970.406.0971		PROJECT Description: Grading and Drainage Improvements – Dillon Pines Townhomes which consists of demolition of existing asphalt; excavating, regrading and repaving to provide positive drainage; constructing pan drains, boulder retaining walls, erosion control work, replacement of a short section of private sewer line all required ancillaries, removal of existing fire hydrant, installation of new fire hydrant.			
APPLICANT E-mail Address: apeakasphalt@comcast.net					
APPLICANT Mailing Address: P.O. BOX 8 Dillon, CO 80435					
Property OWNER Contact Info: Dillon Pines HOA					

Street Traffic Control Required	ROW Asphalt & Concrete Restoration	PERMIT EXPIRATION DATE:
YES	YES	October 31, 2026
Development Permit Required	Sanitary Sewer or Service Work	Water System or Service Work
NO	YES	YES

General Conditions: <i>By signing this permit, the Applicant and their Contractor agree to the following:</i> - The Applicant & Contractor hereby agree to conduct all construction activities in conformance with the terms, general conditions and Special Permit Conditions set forth in this permit and contained within the attached documents. - Failure to comply with any conditions of the permit will result in suspension or termination of this Grading & Excavation Permit until the conditions of this permit are met. - The Applicant & Contractor agree to maintain erosion control devices on a daily basis and shall remove any debris or dirt deposited or tracked onto Town Streets on a daily basis. Revegetation: The Applicant & Contractor shall fully revegetate all disturbed areas within 12 months of the completion of the project. Water & Sewer Inspection: A Town inspection is REQUIRED for any water and sewer work outside the building. Please call (970) 262-3426 to schedule an inspection 48 hours in advance. All pipes and fittings shall be exposed and not concealed or covered with bedding prior to the inspection.		Special Permit Conditions: - No Storage of materials and equipment in the Town ROW overnight. - Work shall conform to the Dillon Pines Construction set, prepared by Marcin Engineering and dated 4/16/2026. - Concrete Work on Timberline's property to the east must be approved by the Timberline HOA prior to beginning work offsite. Please provide email or letter of approval to Town before starting this work. - Work with Mark Helman with Dillon Water Dept. to best fit the sanitary sewer service connection into the available space. Manhole can be eliminated and replaced with clean outs. As-Builts required after construction is completed. - Coordinate timing of W. LaBonte work with Town Engineer one week before starting construction. Work is currently planned for June 8th-11th, 2026. - No work allowed in Town ROW on Fridays due to the Farmer's Market. - Town reserves the right to take photos of any construction or people on the project site at anytime. - Submit final traffic control plan MHTs prior to starting W. LaBonte Street Construction.	
Applicant's Acceptance of Permit and Conditions. Applicant:  Date: 5/21/2026 9:56 AM PDT			
Town of Dillon Approval Town:  Dan Burroughs, Town Engineer Date: 5/21/2026 9:53 AM PDT			

The Permit is not valid without the Applicant's Date and Signature.

 TOWN OF DILLON Grading & Excavation Permit		Date Issued: May 21, 2026	Permit No. 2026.055.G1
APPLICANT Joe Quarantillo A-Peak Asphalt, Inc.	PROJECT ADDRESS:	301 W. LaBonte St	
Permitted Construction Activity hours Monday-Saturday: 7:00 am to 7:00 pm Sunday: 10:00 am to 6:00 pm <i>Per Town Ordinances 05-97 §1 and 02-02</i>		Utility Locate Requirements:  CALL 811 BEFORE YOU DIG It is the Applicant's and Contractor's responsibility to locate all utilities before digging and protect all utilities during construction. Utility Locates are approximate.	
Minimum Compaction & Testing		General Conditions: Work in Town Rights-of-Way	
1) All compaction testing shall be performed by a Colorado licensed testing agency and Approved by a Colorado licensed professional engineer. The applicant shall provide the TOWN with copies of all required compaction tests prior to issuance of a Certificate of Occupancy when requested. 2) All costs associated with the geotechnical testing (and retesting) of fill material, backfill material and existing subgrade materials shall be borne solely by the Applicant. 3) Maximum dry density of all soil types encountered or used shall be determined in accordance with AASHTO T99 or AASHTO T180 as appropriate for the material being tested. The amount of water to be used in compacting soils shall not deviate from optimum moisture content on the dry side by more than two percentage points as determined by AASHTO T99 or AASHTO T180. 4) The applicant shall adhere to the following minimum testing requirements: A) General Site Fill: Fill material placed below all areas that are not buildings nor retaining walls shall be compacted in conformance with the approved construction plans; and a minimum of (1) compaction test shall be completed in random locations for every 10,000 square feet and for every 2' of fill placed. B) Retaining Wall Backfill: Backfill material placed behind a retaining wall shall be compacted in conformance with the approved construction plans; and a minimum of (1) compaction test shall be completed at a maximum of 50' intervals measured along the back face of each wall for every 2' of fill placed behind the wall starting with the lowest subgrade elevation. Additionally, should the wall be constructed on top of fill, a minimum of (1) compaction test shall be completed at maximum 50' intervals, as measured along the back face of each wall, for every 2' of fill placed below the wall starting with existing subgrade. C) Fill Beneath Buildings: Fill material placed below the building and adjacent to the building pad shall be compacted in conformance with the approved construction plans; and a minimum of (1) compaction test per 5,000 square feet of building footprint area shall be completed in random locations within the fill portion of the building footprint for every 1' of fill placed. A sketch shall be submitted indicating the location and elevation of each test within the building footprint. D) Pavement and Concrete Flatwork Subgrade Compaction: The final subgrade surface below pavements and concrete flatwork shall be compacted in conformance with the approved construction plans; and a minimum of (1) compaction test per 10,000 square feet of paved area shall be completed in random locations. E) Utility Trench Backfill: Backfill material placed in utility trenches shall be compacted in conformance with the approved construction plans; and a minimum of (1) compaction test shall be completed for every 100 feet of trench for every 2' of fill placed.		1) REGULATIONS: All work shall be completed in conformance with the Town of Dillon Municipal Code, the Dillon Construction Specifications for Road and Utility Work, and the Dillon Water & Sewer Service Requirements, latest editions thereof. 2) AS-BUILTS: Contractor shall submit AS-BUILT drawings of all water and sewer service lines. As-Built drawings shall show horizontal locations and vertical elevations of all service lines. 3) ROW Work: All work in TOWN right-of-way must be completed by a contractor licensed in the State of Colorado. 4) ROW Parking: Overnight parking of construction equipment and employee vehicles within TOWN right-of-way is NOT permitted, without written permission from the Town Engineer. 5) ROW Storage: Storage of materials, construction equipment, trash dumpsters and trailers within TOWN right-of-way is NOT permitted, without written permission from the Town Engineer. 6) Erosion Control: The applicant shall install and maintain all erosion control BMPs until revegetation of disturbed areas is achieved. 7) Backfill: All backfill and subgrades beneath roadways, curbs and walks and all utility trench backfill material shall be compacted to a minimum of 100% of maximum dry density for AASHTO T99 soils, and a minimum of 95% of maximum dry density for AASHTO T180 soils. See Minimum Compaction & Testing Requirements section of this permit for more information. 8) Fill Materials: Fill materials may NOT be placed below buildings or retaining walls until a building permit for the project is issued by the Summit County Building Inspection Department. 9) Topsoil: The contractor shall spread a minimum of 3" of topsoil over all disturbed areas that are not paved or landscaped and those areas shall be reseeded with a drought-tolerant, weed free, native grass seed mix suitable to the Summit County area. 10) Removals: All concrete curb and gutter and sidewalks shall be removed to the nearest tooled joint on either side of the trench. All concrete shall be sawcut full depth at each joint. All asphalt areas to be removed shall be sawcut full depth along the limits of the removal area prior to removal. 11) Concrete: All concrete used in TOWN right-of-way shall be replaced with buckeye-fiber reinforced CDOT Type 'D' Concrete (4,500 psi). The new concrete section shall match the thickness of the existing concrete (4" min). 12) Asphalt Patching: Full Depth Hot Mix Asphalt Patch Required. Minimum Asphalt Patch Thickness shall be 4". All Joints between new and existing asphalt shall be infrared heat sealed within TOWN right-of-way. 13) Adding Fill Over Utilities: Placing fill material over sanitary and water sewer mains is prohibited without written approval from the Public Works Director. 14) Historic Drainage Patterns: The applicant shall not alter the historic drainage patterns across the applicant's property without a Development Permit and a Drainage Report and Grading Plan prepared by a Colorado Registered Engineer and approved by the Town Engineer. 15) Traffic Control: All traffic control methods of handling traffic (MHT) plans must be prepared by a CDOT certified Traffic Control Supervisor (TCS) or a Colorado registered professional engineer.	

**TRAFFIC CONTROL
CONCEPT June 8-11 2026:**

Delete TEE at water main
*Road closed inbound direction.
Lane open towards Dam Road*

Outbound ONLY

Type III Barricade
(1) Do Not Enter Sign
for Eastbound traffic

Work Zone

**Local Traffic
ONLY**

**Dillon Pines
Project**

**DETOUR Right
Lodgepole Street**

Need Flagger
Detour Right Sign
Type III Barricade
LOCAL TRAFFIC ONLY

W. LaBonte Street

W. Buffalo Street

W. LaBonte Street

W. LaBonte Street

Lodgepole Street





GENERAL NOTES

- ## CONTACTS

VICINITY MAP

The map shows the Dillon, Idaho area, with the proposed Dillon Pines North development highlighted by a red pin and a yellow rectangle. The site is located near the intersection of Highway 6 and Highway 76, south of the Lord of the Mountains Lutheran Church and north of the Dillon Amphitheater. The map also shows the Tenderfoot Mountain Trailhead, the Lakeview Condominiums, and the Anchorage West Condominiums. Major roads like Highway 6, Highway 76, and Highway 63 are clearly visible. The map includes various icons for trails, churches, and other landmarks.

C-1	COVER
C-2	EXISTING CONDITIONS
C-3	SITE PLAN
C-4	GRADING PLAN
C-5	EROSION CONTROL PLAN
C-6	CONSTRUCTION DETAILS
C-7	UTILITY PLAN
C-8	NORTH PARKING RE-PAVE
C-9	EASEMENT EXHIBIT

COVER SHEET
DILLON PINES
DILLON COLORADO

A circular professional engineer seal for the State of Colorado. The outer ring contains the text "COLORADO REGISTERED PROFESSIONAL ENGINEER". The inner circle contains the license number "32492" and the expiration date "4/28/2026". The seal is stamped over the signature of Thomas S. A.

OB: 25002
ATE: 4/16/2026
CALE:

SHEET
C-1

PERMIT SET

DRAWING: C:\Users\Aurora\OneDrive\Engineering\Drawings\Projects\2025\25002 - Dillon Pine\Units\Units\Dillon Pine\ENGINEERING_C-1.dwg

LEGEND :

SEWER CLEANOUT

CO

GAS METER

WATER VALVE

WV

WATER MANHOLE

W

SEWER MANHOLE

S

HYDRANT

STORM DRAIN MANHOLE

D


COMMUNICATIONS

P

WATER SPIGOT


TRANSFORMER

T



COEUR DU LAC CONDO

TIMBERLINE CONDOS



PERMIT SET

MARCIN ENGINEERING LLC
P.O. BOX 1062
AVON, COLORADO
970-748-0274

EXISTING CONDITIONS
DILLON PINES
DILLON COLORADO



NO.	DATE	REVISIONS	BY



JOB: 25002
DATE: 4/16/2026
SCALE: 1" = 20'

SHEET
C-2


DRAWING: C:\Users\Amanda\OneDrive\Documents\Projects\2025\25002 - Dillon Pine View\25002\25002 - Dillon Pine View.dwg
DATE: 4/16/2026
SCALE: 1" = 20'



PERMIT SET

OVERALL SITE PLAN
DILLON PINES
DILLON COLORADO

NO. DATE REVISIONS BY



JOB: 25002
DATE: 4/16/2026
SCALE: 1" = 20'

SHEET
C-3

MARCIN ENGINEERING LLC
P.O. BOX 1062
AVON, COLORADO
970-748-0274

DRAWN: C. Viana/Vicente/Marcia Engineering Project: 25002-0202 - DILLON PINES DILLON PINES ENGINEERING C.P. .dgn



MARCIN ENGINEERING LLC
P.O. BOX 1062
AVON, COLORADO
970-748-0274

GRADING PLAN
DILLON PINES
DILLON COLORADO

NO.	DATE	REVISIONS	BY

COLORADO REGISTERED PROFESSIONAL ENGINEER

32492


4/28/2026

JOB: 25002
DATE: 4/16/2026
SCALE: 1" = 10'


SHEET
C-4




MARVIN ENGINEERING LLC P.O. BOX 1062 AVON, COLORADO 970-748-0274			
EROSION CONTROL PLAN DILLON PINES DILLON COLORADO			
NO.	DATE	REVISIONS	BY
JOB: 25002 DATE: 4/16/2026 SCALE: 1" = 10'			
SHEET C-5			



STABILIZED
CONSTRUCTION ENTRY



EROSION CONTROL LOG DETAILS




CONSTRUCTION NOTES FOR FABRICATED SILT FENCE

1. SILT FENCE TO BE FASTENED SECURELY TO FENCE POST WITH WIRE TIES OR STAPLES.
2. FILTER CLOTH TO BE FASTENED SECURELY TO FENCE WITH TIES SPACED EVERY 24" AT TOP AND MID SECTION.
3. WHEN TWO SECTIONS OF FILTER CLOTH ADJOIN EACH OTHER THEY SHALL BE OVERLAPPED BY SIX INCHES AND FOLDED.
4. MAINTENANCE SHALL BE PERFORMED AS NEEDED AND MATERIAL REMOVED WHEN "BULGES" DEVELOP IN THE SILT FENCE.


CONSTRUCTION MATERIAL

1. POSTS: STEEL EITHER T OR U TYPE OR 2" HARDWOOD.
2. FILTER CLOTH: FILTER X, MIRAFI 100X, STABILINKA T140N OR APPROVED EQUAL.
3. PREFABRICATED UNIT: GEOTAF, ENVIROFENCE, OR APPROVED EQUAL.


SILT FENCE DETAILS




ASPHALT DETAILS



VALVE BOX DETAILS



FIRE HYDRANT ASSEMBLY DETAILS



NOTES:

- 1) INSTALL IN LOCATIONS SHOWN ON PLANS.
- 2) PLACE CONCRETE AGAINST UNDISTURBED SOIL.
- 3) JOINTS AND BOLTS SHALL BE ACCESSIBLE FOR REPAIRS.
- 4) AFTER THRUST BLOCK IS PLACED
- 5) PROVIDE POLYETHYLENE BOND BREAKER
- 6) CONCRETE SHALL NOT BE LEANER THAN 1 CEMENT, 2-1/2 SAND, 5 STONE, 0.5 WATER AND HAVE NOT LESS THAN 3000 P.S.I. COMPRESSIVE STRENGTH AT 28 DAYS.
- 7) ALL JOINTS SHALL ALSO BE MECHANICALLY RESTRAINED AT EACH FITTING JOINT AND THE NEXT ADJACENT PIPE FITTING EACH WAY.

THRUST BLOCK DETAILS

MARCIN ENGINEERING LLC
P.O. BOX 1062
AVON, COLORADO
970-748-0274

COSNTRUCTION DETAILS
DILLON PINES
DILLON COLORADO

NO.	DATE	REVISIONS	BY




JOB: 25002
DATE: 4/16/2026
SCALE: 1" = 10'

SHEET
C-6

PERMIT SET

DRAWING: C:\Users\Marcin\Documents\Engineering\Projects\2025\25002 - Dillon Pines\Utility\Utility Plan\Utility Plan.dwg
DATE: 4/16/2026
SCALE: 1" = 10'



1. THE CONTRACTOR IS WARNED THAT CONFLICTS WITH EXISTING UTILITIES MAY EXIST. PRIOR TO BEGINNING ANY CONSTRUCTION, THE CONTRACTOR SHALL CONTACT ALL APPROPRIATE UTILITY COMPANIES FOR LINE LOCATIONS, AND CONTRACTOR SHALL LOCATE ALL UTILITIES (INCLUDING DEPTH). NEITHER MARCIN ENGINEERING NOR THE OWNER ASSUME ANY RESPONSIBILITY FOR UTILITY LOCATIONS. ANY CONFLICTS WITH THE PROPOSED CONSTRUCTION SHALL BE BROUGHT TO THE ATTENTION OF MARCIN ENGINEERING AND THE OWNER SO THAT MINOR LINE OR GRADE CHANGES CAN BE MADE TO ELIMINATE ANY CONFLICTS WITH THESE EXISTING UTILITIES. ALL EXISTING UTILITIES SHALL BE PROTECTED FROM DAMAGE BY THE CONTRACTOR. UTILITIES THAT ARE DAMAGED BY THE CONTRACTOR THAT WERE PROPERLY MARKED/LOCATED SHALL BE REPAIRED BY THE CONTRACTOR AT NO EXPENSE TO THE OWNER OR ENGINEER.
2. THE EXACT LOCATIONS AND ELEVATIONS OF NEW CONNECTIONS TO EXISTING SEWERS AND WATERS TO BE DETERMINED ON SITE FOLLOWING POTHOLES TO DETERMINE DEPTHS OF EXISTING SEWERS AND WATERS.
3. ALL SANITARY SEWER CONSTRUCTION SHALL COMPLY WITH TOWN OF DILLON CONSTRUCTION SPECIFICATIONS AND CDPHE REQUIREMENTS. MINIMUM COVER ON ALL SEWER LINES IS 6'.
4. WHEN IRRIGATION IS DISCOVERED, CONTRACTOR IS REQUIRED TO CONTACT OWNER, ENGINEER, AND OWNERS LANDSCAPER

MARCIN ENGINEERING LLC
P.O. BOX 1062
AVON, COLORADO
970-748-0274

UTILITY PLAN
DILLON PINES
DILLON COLORADO

NO.	DATE	REVISIONS	BY

32492
4/28/2026
PROFESSIONAL ENGINEER

JOB: 25002
DATE: 4/16/2026
SCALE: 1" = 10'

SHEET
C-7

PERMIT SET



FIRE HYDRANT TO BE RE-LOCATED EAST. SEE SHEET C-7

PROPOSED PARKING STRIPE

EXISTING EOA

- PROPOSED EOA

10.000

PERMIT SET

MARCIN ENGINEERING LLC
PO BOX 1062
AVON, COLORADO
970-748-0274

NORTH PARKING REPAVE
DILLON PINES
DILLON COLORADO

[illegible]

JOB: 25002
DATE: 4/16/26
SCALE:

SHEET
C-8

Line Table		
Line #	Direction	Length
L1	S00° 49' 20"E	27.62
L2	S01° 34' 23"E	70.56
L3	S00° 31' 09"W	35.48
L4	S04° 24' 57"E	19.54
L5	N04° 19' 16"W	26.03
L6	N29° 02' 48"W	7.73
L7	N04° 52' 56"W	29.98
L8	N88° 24' 01"E	200.87
L9	N04° 00' 00"W	12.22
L10	N43° 55' 24"W	12.46
L11	N67° 58' 02"W	73.37
L12	N41° 59' 45"E	30.74
L13	S22° 01' 42"W	7.96
L14	S48° 35' 37"E	15.62
L15	N22° 01' 28"E	3.85
L16	N09° 01' 46"W	13.56
L17	S85° 57' 11"E	17.86
L18	S16° 43' 48"W	36.96
L19	S38° 25' 55"W	41.75
L20	S86° 38' 59"E	17.88
L21	S01° 24' 20"W	36.81



EASEMENT EXHIBIT

LOT 4R, DILLON PINES TOWNHOMES

Section 7, Township 5 South, Range 77 West of the 6th Principal Meridian
Town of Dillon, County of Summit, State of Colorado

PROPERTY DESCRIPTION

Lot 4R, Dillon Pines Townhomes, as recorded as Reception Number 1205887 on August 23, 2019 at the Office of the Clerk and Recorder, County of Summit, State of Colorado.

NOTES

- Survey Date: October 4, 2023.
- Contour interval: 1-foot.
- All lineal distances are in units of U.S. survey feet.
- Bearings are based upon the southwest and northeast corners of the subject parcel according to the above referenced plat, monumented by found rebars with blue and yellow plastic caps with illegible LS numbers, respectively, with the bearing being N35°47'47"E a distance of 373.22 feet, with all other bearings hereon relative thereto.
- Elevations are based upon NGS Monument "D 450" with a record elevation of 8,814.51 feet relative to the NAVD88 datum, with all other elevations hereon relative thereto.
- This Survey does not constitute a boundary survey nor any investigation into record easements or encumbrances associated with this property. No Title Commitment was supplied to the Surveyor.
- Utilities are shown approximately and should be field verified prior to excavation.
- Marcin Engineering LLC does not warrant or certify to the integrity of any Digital Data supplied in conjunction with this map and survey.
- STREET ADDRESS: 301 La Bonte Street / 306 Lodgepole Street.
- This is not a monumented survey, Land Survey Plat, or Improvement Survey plat. No boundary resolution was performed in making this survey. All lot lines, setback lines, and easement lines shown hereon were derived from the above referenced plat, should be considered approximate, and should not be relied upon for the placement of any future improvements.

SURVEYOR'S CERTIFICATION



I, Thomas S. Marcin, a Professional Land Surveyor in the State of Colorado, hereby certify that this TOPOGRAPHIC SURVEY was done by me or under my direct supervision, and that it was performed using the standard care and practice used in the area at the time of the survey. The Notes hereon are a part of this certification.

Thomas S. Marcin, PLS 37999
Colorado Professional
Land Surveyor

SYMBOL LEGEND

- FOUND MONUMENT, AS DESCRIBED
- TELEPHONE PEDESTAL
- ELECTRIC TRANSFORMER
- GAS METER
- FIRE HYDRANT
- WATER VALVE
- WATER MANHOLE
- WATER SPIGOT
- STORM MANHOLE
- SANITARY SEWER MANHOLE
- CLEAN OUT
- CONIFEROUS TREE
- DECIDUOUS TREE
- ASPHALT
- CONCRETE

ENTRY THRESHOLDS	
SOUTH BUILDING	
UNIT	ELEV.
1	9069.53
2	9069.51
3	9069.52
4	9069.51
5	9069.69
6	9069.53
7	9069.59
8	9069.56
9	9069.55
10	9069.54
11	9069.51
12	9069.52



NOTICE: According to Colorado law you MUST commence any legal action based upon any defect in this survey within three years after you first discovered such defect. In no event, may any action based upon any defect in this survey be commenced more than ten years from the date of certification shown hereon.

EASEMENT EXHIBIT
LOT 4R, DILLON PINES TOWNHOMES
Town of Dillon, County of Summit, State of Colorado

DRAWN BY: CAP	DATE: 4/16/2026
CHECKED BY: TSM	DRAWING NO.: 23072
JOB NO: 25002	SHEET: 9 OF 1

MARCIN ENGINEERING LLC

P.O. BOX 1062
AVON, CO 81620
(970) 748-0274
(970) 748-9021 FAX



Certificate Of Completion

Envelope Id: 5F3F2AF3-CD33-8252-82AC-E0F2AF38C388

Subject: Docusign: 2026.055.G1_SITEWORK_DillonPines.pdf

Source Envelope:

Document Pages: 13

Certificate Pages: 5

AutoNav: Enabled

Envelopeld Stamping: Enabled

Time Zone: (UTC-08:00) Pacific Time (US & Canada)

Status: Completed

Envelope Originator:

Dan Burroughs

275 Lake Dillon Dr.

POB 8

Dillon, CO 80435-0008

DanB@townofdillon.com

IP Address: 104.36.176.151

Record Tracking

Status: Original

5/21/2026 9:49:24 AM

Holder: Dan Burroughs

DanB@townofdillon.com

Location: DocuSign

Signer Events

Dan Burroughs

DanB@townofdillon.com

Chairman, Old Dillon Reservoir Water Authority

Town of Dillon

Security Level: Email, Account Authentication
(None)

Signature

DocuSigned by:

C6FA982566F043B...

Signature Adoption: Pre-selected Style

Using IP Address: 104.36.176.151

Timestamp

Sent: 5/21/2026 9:52:37 AM

Viewed: 5/21/2026 9:52:49 AM

Signed: 5/21/2026 9:53:05 AM

Electronic Record and Signature Disclosure:

Not Offered via Docusign

Joe Quarantillo

apeakasphalt@comcast.net

President

Security Level: Email, Account Authentication
(None)

DocuSigned by:

72A0CBF61A894FB...

Signature Adoption: Pre-selected Style

Using IP Address: 174.128.253.89

Sent: 5/21/2026 9:52:37 AM

Viewed: 5/21/2026 9:55:40 AM

Signed: 5/21/2026 9:56:28 AM

Electronic Record and Signature Disclosure:

Accepted: 5/21/2026 9:55:40 AM

ID: 7d4c8a9d-173a-4c72-9082-519a06637d56

In Person Signer Events	Signature	Timestamp
Editor Delivery Events	Status	Timestamp
Agent Delivery Events	Status	Timestamp
Intermediary Delivery Events	Status	Timestamp
Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Notary Events	Signature	Timestamp
Envelope Summary Events	Status	Timestamps
Envelope Sent	Hashed/Encrypted	5/21/2026 9:52:38 AM
Certified Delivered	Security Checked	5/21/2026 9:55:40 AM

Envelope Summary Events	Status	Timestamps
Signing Complete	Security Checked	5/21/2026 9:56:28 AM
Completed	Security Checked	5/21/2026 9:56:28 AM
Payment Events	Status	Timestamps
Electronic Record and Signature Disclosure		

ELECTRONIC RECORD AND SIGNATURE DISCLOSURE

From time to time, Town of Dillon (we, us or Company) may be required by law to provide to you certain written notices or disclosures. Described below are the terms and conditions for providing to you such notices and disclosures electronically through the DocuSign system. Please read the information below carefully and thoroughly, and if you can access this information electronically to your satisfaction and agree to this Electronic Record and Signature Disclosure (ERSD), please confirm your agreement by selecting the check-box next to 'I agree to use electronic records and signatures' before clicking 'CONTINUE' within the DocuSign system.

Getting paper copies

At any time, you may request from us a paper copy of any record provided or made available electronically to you by us. You will have the ability to download and print documents we send to you through the DocuSign system during and immediately after the signing session and, if you elect to create a DocuSign account, you may access the documents for a limited period of time (usually 30 days) after such documents are first sent to you. After such time, if you wish for us to send you paper copies of any such documents from our office to you, you will be charged a \$0.00 per-page fee. You may request delivery of such paper copies from us by following the procedure described below.

Withdrawing your consent

If you decide to receive notices and disclosures from us electronically, you may at any time change your mind and tell us that thereafter you want to receive required notices and disclosures only in paper format. How you must inform us of your decision to receive future notices and disclosure in paper format and withdraw your consent to receive notices and disclosures electronically is described below.

Consequences of changing your mind

If you elect to receive required notices and disclosures only in paper format, it will slow the speed at which we can complete certain steps in transactions with you and delivering services to you because we will need first to send the required notices or disclosures to you in paper format, and then wait until we receive back from you your acknowledgment of your receipt of such paper notices or disclosures. Further, you will no longer be able to use the DocuSign system to receive required notices and consents electronically from us or to sign electronically documents from us.

All notices and disclosures will be sent to you electronically

Unless you tell us otherwise in accordance with the procedures described herein, we will provide electronically to you through the DocuSign system all required notices, disclosures, authorizations, acknowledgements, and other documents that are required to be provided or made available to you during the course of our relationship with you. To reduce the chance of you inadvertently not receiving any notice or disclosure, we prefer to provide all of the required notices and disclosures to you by the same method and to the same address that you have given us. Thus, you can receive all the disclosures and notices electronically or in paper format through the paper mail delivery system. If you do not agree with this process, please let us know as described below. Please also see the paragraph immediately above that describes the consequences of your electing not to receive delivery of the notices and disclosures electronically from us.

How to contact Town of Dillon:

You may contact us to let us know of your changes as to how we may contact you electronically, to request paper copies of certain information from us, and to withdraw your prior consent to receive notices and disclosures electronically as follows:

To contact us by email send messages to: michelleh@townofdillon.com

To advise Town of Dillon of your new email address

To let us know of a change in your email address where we should send notices and disclosures electronically to you, you must send an email message to us at michelleh@townofdillon.com and in the body of such request you must state: your previous email address, your new email address. We do not require any other information from you to change your email address.

If you created a DocuSign account, you may update it with your new email address through your account preferences.

To request paper copies from Town of Dillon

To request delivery from us of paper copies of the notices and disclosures previously provided by us to you electronically, you must send us an email to michelleh@townofdillon.com and in the body of such request you must state your email address, full name, mailing address, and telephone number. We will bill you for any fees at that time, if any.

To withdraw your consent with Town of Dillon

To inform us that you no longer wish to receive future notices and disclosures in electronic format you may:

- i. decline to sign a document from within your signing session, and on the subsequent page, select the check-box indicating you wish to withdraw your consent, or you may;
- ii. send us an email to michelleh@townofdillon.com and in the body of such request you must state your email, full name, mailing address, and telephone number. We do not need any other information from you to withdraw consent.. The consequences of your withdrawing consent for online documents will be that transactions may take a longer time to process..

Required hardware and software

The minimum system requirements for using the DocuSign system may change over time. The current system requirements are found here: <https://support.docusign.com/guides/signer-guide-signing-system-requirements>.

Acknowledging your access and consent to receive and sign documents electronically

To confirm to us that you can access this information electronically, which will be similar to other electronic notices and disclosures that we will provide to you, please confirm that you have read this ERSD, and (i) that you are able to print on paper or electronically save this ERSD for your future reference and access; or (ii) that you are able to email this ERSD to an email address where you will be able to print on paper or save it for your future reference and access. Further, if you consent to receiving notices and disclosures exclusively in electronic format as described herein, then select the check-box next to 'I agree to use electronic records and signatures' before clicking 'CONTINUE' within the DocuSign system.

By selecting the check-box next to 'I agree to use electronic records and signatures', you confirm that:

- You can access and read this Electronic Record and Signature Disclosure; and
- You can print on paper this Electronic Record and Signature Disclosure, or save or send this Electronic Record and Disclosure to a location where you can print it, for future reference and access; and
- Until or unless you notify Town of Dillon as described above, you consent to receive exclusively through electronic means all notices, disclosures, authorizations, acknowledgements, and other documents that are required to be provided or made available to you by Town of Dillon during the course of your relationship with Town of Dillon.